

附表一：船用醫藥櫃應備置藥品一覽表

(1/3)

| 項目編號 | 項目名稱 | 單位 | 數量 | | | 備註 |
|------|---|--------|----|---|---|--|
| | | | A | B | C | |
| 1. | Acetylsalicylic acid, 300 mg tablets, 100s | bottle | 6 | 3 | 2 | Also known as aspirin |
| 2. | Alcohol, rubbing (70% ethyl alcohol), 500 ml | bottle | 6 | 2 | 1 | |
| 3. | Aluminum acetate- ear drops, 13% solution in 20-ml bottle with dropper | bottle | 6 | 2 | 2 | |
| 4. | Aluminum acetate powder, 2-g packets, for making equivalent aluminum acetate solution (Burrow's), 12s | box | 2 | - | - | For external use only |
| 5. | Aluminum hydroxide gel, with magnesium hydroxide or magnesium trisilicate, oral suspension, 360 ml | bottle | 6 | - | - | |
| 6. | Aluminum hydroxide, with magnesium hydroxide or magnesium trisilicate, 1-g tablets, 100s | bottle | 10 | 3 | 3 | |
| 7. | Aminophylline suppository, rectal, 500 mg, 12s | box | 2 | 1 | - | Refrigerate |
| 8. | Amitriptyline tablets, 25 mg, 100s | bottle | 1 | 1 | - | |
| 9. | Ampicillin capsules, 250 mg, 100s | bottle | 3 | 1 | - | |
| 10. | Antihemorrhoidal suppositories, 12s | box | 6 | 1 | - | Refrigeration preferable |
| 11. | Ascorbic acid tablets (vitamin C), 50 mg, 100s | bottle | 3 | 1 | - | |
| 12. | Atroine sulfate injection, 0.5 mg/ml, 1-ml ampoules, 10s | box | 6 | 1 | - | |
| 13. | Benzathine benzylpenicillin, injection, 2.4 million units per 5-ml vial | item | 20 | - | - | |
| 14. | Benzoic and salicylic acid ointment, 30-g tube | item | 2 | 1 | - | |
| 15. | Calamine lotion, plain, 120 ml | bottle | 8 | 1 | 1 | |
| 16. | Calcium gluconate, effervescent tablets, 1 g, 30s | box | 1 | - | - | |
| 17. | Cetrimide 40% solution, 500 ml (disinfectant) | bottle | 3 | 1 | 1 | This is a concentrated (stock) solution; when 1% cetrimide is mentioned in the guide, the stock solution should be diluted |
| 18. | Charcoal, activated, powder, 120 g | bottle | 1 | 1 | 1 | |
| 19. | Chloroquine phosphate tablets, 250 mg, 100s | bottle | 1 | 1 | 1 | For the suppression and treatment of malaria |
| 20. | Chlorphenamine maleate tablets, 4 mg, 20s | bottle | 3 | 1 | - | |
| 21. | Chlorphenamine maleate injection, 10 mg, 1-ml ampoules, 10s | box | 2 | 1 | - | |
| 22. | Chlorpromazine hydrochloride tablets, 25 mg, 20s | bottle | 4 | 2 | 1 | |
| 23. | Chlorpromazine hydrochloride injection, 25 mg in 1-ml ampoules, 10s | box | 2 | 1 | - | |
| 24. | Clove oil, 20ml | bottle | 2 | 1 | 1 | |
| 25. | Codeine sulfate tablets, 30 mg, 100s | bottle | 1 | 1 | - | Controlled substance |
| 26. | Cyclizine hydrochloride tablets, 50 mg, 100s | bottle | 4 | 1 | 1 | |
| 27. | Daxtran injection, 6%, and sodium chloride, 0.9%, 500 ml, with administration set | bottle | 6 | - | - | |
| 28. | Diazepam injection, 5 mg/ml, 2-ml ampoule | item | 20 | - | - | Controlled substance |
| 29. | Diazepam tablets, 5 mg, 100s | bottle | 2 | 1 | - | Controlled substance |

A行：適用於無醫師隨船之遠洋商船最低藥品數量備置之準據（藥品數量計算標準採船員二十五人至四十人，六個月航行之用）。

B行：適用於沿岸航行或鄰近沿岸港口，其航行不超過二十四小時之商船最低藥品數量備置之準據（藥品數量計算標準採船員約二十五人，六個月航行之用）。

C行：適用於非營運船舶可攜人數不超過十五人，其航行不超過數天或數小時內可到達港口之航程最低藥品數量備置之準據。

| 項目 編號 | 項目名稱 | 單位 | 數量 | | | 備註 |
|----------|--|---------|----|---|---|---|
| | | | A | B | C | |
| 30. | Dimercaprol injection, 100 mg in 2-ml ampoules, 10s | box | 6 | 2 | 1 | Antidote in metal poisoning |
| 31. | Doxycycline hydrochloride tablets, 100 mg, 100s | bottle | 2 | - | - | |
| 32. | Ephedrine sulfate tablets, 25 mg, 100s | bottle | 1 | - | - | |
| 33. | Epinephrine hydrochloride injection, 1:1000, 1-ml ampoules, 10s | box | 2 | 1 | 1 | |
| 34. | Ergometrine maleate injection, 0.2 mg in 1-ml ampoules, 10s | box | 1 | - | - | |
| 35. | Erythromycin (stearate or ethylsuccinate) tablets, 250 mg, 100s | bottle | 3 | 1 | - | |
| 36. | Eye anaesthetic drops, 0.5% solution of tetracaine hydrochloride, in dropper bottles, 10ml | bottle | 2 | 1 | - | Should be marked: "For external use" |
| 37. | Eye antiinfective drops, 1% solution of chloramphenicol in dropper bottles, 10 ml | bottle | 3 | 2 | 1 | |
| 38. | Eye ointment, 1% tetracycline hydrochloride, 4-g tube | item | 6 | 3 | 1 | |
| 39. | Eyewash or eye-irrigating solution, isotonic, sterile, in plastic squeeze bottle, 120 ml | bottle | 6 | 1 | 1 | |
| 40. | Fluorescein sodium ophthalmic strip, sterile (1%, on paper applicators), 200s | package | 1 | - | - | |
| 41. | Furcsernide tablets, 40 mg, 100s | bottle | 1 | - | - | |
| 42. | Glyceryl trinitrate tablets, 0.5 mg, 20s | bottle | 2 | 1 | 1 | Keep bottle lightly closed; store at temperature of 0-25°C |
| 43. | Hydrocortisone sodium succinate, 100-mg vial, for injection, intravenous, or intramuscular | vial | 5 | - | - | |
| 44. | Hydrocortisone ointment 1%, 30-g tube with rectal tip | item | 6 | 2 | 2 | |
| 45. | Ichthvol and glycerine ointment (ichthammol 10%, glycerine, soft paraitin, wool fat 90%), in 100-g container | item | 3 | 2 | 1 | More containers are needed on lishing vessels with a crew of over 30 people |
| 46. | Insect repellent (diethyltoluamide solution), 50-ml | bottle | 12 | 6 | 2 | |
| 47. | Iodine, 2.5% solution, in 100-ml bottles with glass stoppers | bottle | 4 | 2 | 1 | Bottles should be marked: "POISON, for external use only" |
| 48. | Lidocaine hydrochloride injection 1%, 2-ml ampoule | item | 12 | - | - | |
| 49. | Lindane cream, 1%, 60-g tube | item | 12 | 2 | - | For external use |
| 50. | Magnesium hydroxide suspension, 550 mg/10 ml, 500 ml | bottle | 8 | 2 | 2 | |
| 51. | Metronidazole tablets, 200 mg, 100s | bottle | 5 | 2 | - | |
| 52. | Miconazole nitrate, 2%, vaginal cream, with applicator, in 80-g container | item | 5 | 2 | - | |
| 53. | Miconazole nitrate, 100-mg, pessary and inserter | item | 1 | 1 | - | |
| 54. | Mineral oil (liquid petrolatum), 500 ml | bottle | 1 | 1 | - | |
| 55. | Morphine sulfate injection, 10 mg/ml, 1-ml ampoules, 10s | box | 2 | 1 | - | Controlled substance |
| 56. | Naloxone hydrochloride injection, 0.4 mg/ml, 1-ml ampoule | item | 6 | - | - | |

| 項目 編號 | 項目名稱 | 單位 | 數量 | | | 備註 |
|----------|---|--------|-----|-----|-----|---|
| | | | A | B | C | |
| 57. | Neomycin + bacitracin ointment (5 mg neomycin + 500 IU bacitracin zinc per g), 30-g tube | item | 20 | 10 | 5 | Keep at temperature of 2-20°C |
| 58. | Oral rehydration salts (sodium chloride 3.5 g, sodium bicarbonate 2.5 g (or trisodium citrate 2.9 g), potassium chloride 1.5 g glucose 20 g) in water-proof bags/ sachets | item | 50 | 20 | 5 | One bag/ sachet should be dissolved in 1 litre of boiled cooled water |
| 59. | Oxygen, size E tank | item | 2 | 1 | - | The tank should always be full of oxygen |
| 60. | Paracetamol, 500-mg tablet | item | 300 | 150 | 100 | |
| 61. | Petrolatum, white, 60-g tube | item | 6 | 2 | 2 | |
| 62. | Phenobarbital tablets, 30 mg, 100s | bottle | 3 | 1 | - | Controlled substance |
| 63. | Phenoxymethylpenicillin potassium tablets 250 mg, 100s | bottle | 3 | 1 | - | |
| 64. | Pilocarpine hydrochloride eye-drops, 2%, 15-ml dropper bottle | bottle | 2 | 1 | - | |
| 65. | Potassium permanganate, 100g | bottle | 2 | 1 | - | For external use |
| 66. | Probenecid tablets, 500 mg, 100s | bottle | 2 | 1 | - | |
| 67. | Procaine benzylpenicillin, sterile suspension, injection, 600 000 units/ ml, 1-ml vials, 10s | box | 2 | 1 | - | Refrigerate |
| 68. | Proguanil tablets, 100 mg, 100s | bottle | 1 | 1 | 1 | |
| 69. | Pyrantel tablets, 250 mg, 50s | bottle | 1 | - | - | |
| 70. | Quinine sulfate tablets, 300 mg, 100s | bottle | 2 | - | - | |
| 71. | Quinine dihydrochloride, injection, 300 mg/ ml, 2-ml ampoule, 10s | box | 2 | - | - | |
| 72. | Salbutamol aerosol inhaler unit | item | 2 | 1 | - | |
| 73. | Sodium chloride injection, 0.9%, 1000 ml | bottle | 6 | 2 | - | Administration sets should be obtained from the manufacturer of the intravenous solution |
| 74. | Sodium chloride tablets, 1 g, 1000s | bottle | 2 | 1 | 1 | |
| 75. | Spectinomycin hydrochloride, injection, 2 g per 5-ml vial | item | 20 | - | - | |
| 76. | Sulfamethoxazole + trimethoprim (400 mg + 80 mg) tablets, 20s | bottle | 10 | 5 | - | |
| 77. | Talc (talcum powder), 120 g | can | 6 | 3 | 3 | |
| 78. | Tetanus immune human globulin, 250 units, vial or ampoule | item | 5 | - | - | Refrigerate. do not freeze. Note: this drug should be carried only on ships that carry cattle, horses, or hides |
| 79. | Tetanus toxoid adsorbed, single dose, ampoule | item | 10 | - | - | Refrigerate. do not freeze |
| 80. | Tetracycline ear-drops, 1% tetracycline solution in dropper bottle, 10 ml | bottle | 10 | 5 | 1 | |
| 81. | Tetracycline hydrochloride capsules, 250 mg, 100s | bottle | 3 | 1 | - | |
| 82. | Water, sterile, 5-ml ampoules, 10s | box | 3 | 2 | - | |
| 83. | Zinc oxide paste, 30-g tube | item | 12 | 3 | 3 | |